| | L # | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 1 | L1 | 280 | 725/80 725/81 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 17:13 |
| 2 | L2 | 108 | L1 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:20 |
| 3 | L3 | 951 | (reset$4 $3connect$3 remov$3) WITH ((unique keep same persistent maintain) NEAR8 ((network node) NEAR2 (ID address identification name)) ) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:27 |
| 4 | L4 | 380 | 3 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:31 |
| 5 | L5 | 2174 | (reset$4 $3connect$3 remov$3 $2intializ$5) SAME ((remain unique keep same persistent maintain) NEAR8 ((network node) NEAR2 (ID address identification name)) ) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:30 |
| 6 | L6 | 1661 | 5 AND (LAN "IEEE 1394" firewire "fire wire" bus "local area network" (home NEAR3 network) "USB") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:31 |
| 7 | L7 | 681 | 6 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:31 |
| 8 | L8 | 495 | 5 SAME (LAN "IEEE 1394" firewire "fire wire" bus "local area network" (home NEAR3 network) "USB") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:31 |

| | L # | Hits | Search Text | DBs | Time Stamp |
|---|---|---|---|---|---|
| 9 | L9 | 681 | 7 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:05 |
| 10 | L10 | 232 | 8 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 19:32 |
| 11 | L11 | 701 | 5 AND ("709"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:06 |
| 12 | L12 | 305 | 11 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:07 |
| 13 | L13 | 14 | 5 AND (725/74-82.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:06 |
| 14 | L14 | 58 | 5 AND ("725"/$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:06 |
| 15 | L15 | 34 | 14 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:32 |
| 16 | L16 | 165 | ($2activat$3) SAME ((remain unique keep same persistent maintain) NEAR8 ((network node) NEAR2 (ID address identification name)) ) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:30 |

|    | L # | Hits | Search Text | DBs | Time Stamp |
|----|-----|------|-------------|-----|------------|
| 17 | L17 | 69 | 16 AND ((@ad <= "19991217") or (@rlad <= "19991217")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/05/22 20:32 |